

Air Gas Outfits

PREST-O-LITE® 5-in-1 Outfit with Soft Flame Tips

For all purpose soldering, heating, and brazing

- Meets most industrial demands
- “B” tank and “MC” tank models available
- Interchangeable tips — for proper flame size and heat
- Soldering iron — for use without open flame
- Change tips in seconds — no tools necessary; tips lock in any working position
- Common torch handle — provides equivalent of five outfits
- Adjustable pressure regulator for steady gas delivery and stable flames



PREST-O-LITE® 4-in-1 Outfit with Soft Flame Tips

- Identical to 5-in-1 Outfit without the soldering iron

Ordering Information

5-in-1 Outfit	
For “B” Tank	30X60
For “MC” Tank	30X61
4-in-1 Outfit	
For “B” Tank	30X63
For “MC” Tank	30X64

Refrigeration and Air Conditioning Outfits with Soft Flame Tips

All soldering, heating and bending equipment for refrigeration and air-conditioning work in a handy kit

- Piston type connection between torch and heads for easy hand tightening
- RBO protection in each regulator
- Sold with or without tote and/or tanks



Ordering Information

For “B” Tank	30X66
For “MC” Tank	30X67

Air Gas Outfits

PREST-O-LITE® General Purpose Air-Acetylene Outfits with Soft Flame Tip

For sweat-type fittings, heating, and brazing

- Ideal for copper, brass, steel, and wrought iron pipe with solder-type fittings
- Precision flame control — for joints near a wall, against each other, and in hard-to-reach places
- Instant heat — 4,000°F, without pumping or priming
- Convenient — small, light, easy to handle, and always ready to use
- Efficient — ample range for run-of-shop work; unaffected by drafts, wind, and rain
- “B” tank and “MC” tank models available
- Adjustable pressure regulator with contents gauge and delivery pressure indicators on pressure adjustment knob



Ordering Information

For “B” Tank 30X37
 For “MC” Tank 30X38

PREST-O-LITE® Swirljet® Outfit

For faster soldering and brazing

- Superhot flame from Swirljet® tips will silver- or alloy-braze pipe faster than a conventional flame
- More effective — flame concentrates heat on work where needed — less waste
- Shorter wraparound flame allows soldering of joints within an inch of walls or woodwork without damaging or discoloring
- Efficient — for use under all weather conditions; wind will not deflect high velocity flame
- Adjustable pressure regulator with contents gauge and delivery pressure indicators on pressure adjustment knob
- Two outfits available — one for acetylene; one for MAPP or propane in refillable tanks



Ordering Information

For Acetylene “B” Tank 998623
 For Refillable Propane Tank or MAPP 999147

Air Gas Outfits

PREST-O-LITE® Silversmith Outfit with Soft Flame Tip

- Includes all essential equipment required for fine silversmith and other detail work
- Similar to the General Purpose Outfit except that it contains a smaller torch tip, a shorter hose assembly, and a friction lighter



Ordering Information

For "B" Tank 639297



Air Gas Outfits

PREST-O-LITE® Ordering Information and Components

Air Acetylene Outfits	Part Number	5-in-1 Outfits		4-in-1 Outfits		General Purpose Outfits		Silver-Smith Outfit	Refrigeration and Air-Conditioning Outfits		Swirljet® Outfits	
		30 x 60	30 x 61	30 x 63	30 x 64	30 x 37	30 x 38	639297	30 x 66	30 x 67	998623	999147
Number 403 Torch Handle (valve at rear)	02X93	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
Number 1A Fine Torch Tip	638948	▪	▪	▪	▪				▪	▪		
Number 3 Light Torch Tip	10X23	▪	▪	▪	▪			▪	▪	▪		
Number 3 Swirljet® Torch Tip	21471										▪	
Number 4 Swirljet® Tip	21475											▪
Number 4 Medium Torch Tip	10X24	▪	▪	▪	▪	▪	▪		▪	▪		
Number 5 Heavy Torch Tip	10X25	▪	▪	▪	▪							
Number 8 Soldering Iron (Pointed Copper)	11X18	▪	▪									
R-411B Regulator (for "B" Tank)	04X36	▪		▪		▪		▪	▪		▪	
R-411MC Regulator (for "MC" Tank)	04X37		▪		▪		▪			▪		
R-416 LPG Regulator	05X38											▪
6 ft. length 3/16 in. (A-A) Fitted Hose Assembly	501F11							▪				
12½ ft. length 3/16 in. (A-A) Fitted Hose Assembly	501F12	▪	▪	▪	▪	▪	▪		▪	▪	▪	
12 ft. length 3/16 in. (A-A) Special Fitted Hose Assembly	90F50											▪
Friction Lighter	790F34							▪				