

Material Safety Data Sheet

Carbon Monoxide

In Case of Emergency: Chemtrec 800-424-9300

Section 1: Product and Company Identification

Gas and Supply 125 Thruway Park Broussard, LA 70518 877-441-7311 Fax: 337-839-8235 www.gasandsupply.com

Product Code: Carbon Monoxide

| Chemical Substance | Chemical Family | Trade Names |
|--------------------|-----------------|--|
| CARBON MONOXIDE | inorganic, gas | CARBON OXIDE; CARBON OXIDE (CO); UN 1016; CO |

Section 2: Hazards Identification

| Description | Main Health Hazard |
|---|---------------------------|
| Colorless, odorless | Blood damage, suffocation |
| Flammable gas. May cause flash fire. Flash back hazard. | _ ` |

Likely Routes of Exposure:

| Inhalation | Ingestion | Eye | Skin | Health Effects | Target Organs | Medical Condition Aggravated by - |
|--|--------------------------------------|---|---|---------------------------------|------------------|---|
| Changes in body temperature, changes in blood pressure, nausea, vomiting, chest pain, difficulty breathing, irregular heartbeat, headache, drowsiness, dizziness, disorientation, hallucinations, pain in extremities, tremors, loss of coordination, hearing loss, visual disturbances, eye damage, suffocation, blood disorders, convulsions, coma | Ingestion of a gas is unlikely | No information on significant adverse effects | No information on significant adverse effects | Blood damage, suffocation | Blood | Blood system disorders, heart or cardiovascular disorders, hormonal disorders, respiratory disorders |

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Section 3: Composition/Information on Ingredients

| CAS# |
|----------|
| 630-08-0 |

Section 4: First Aid Measures

| Skin Contact | Eye Contact | Ingestion | Inhalation | Note to |
|--------------|-------------|-----------|------------|------------|
| | | | | Physicians |

Gas and Supply page 1 of 5 Generated by the MSDS Manager from AsteRisk, LLC. All Rights Reserved Generated: 02/07/2012 10:16:16

| Skin Contact | Eye Contact | Ingestion | Inhalation | Note to |
|--------------------------------------|------------------------|----------------|---|-----------------|
| | | | | Physicians |
| Wash skin with soap and water for at | Flush eyes with | If a large | If adverse effects occur, remove to | For inhalation, |
| least 15 minutes while removing | plenty of water for at | amount is | uncontaminated area. Give artificial | consider |
| contaminated clothing and shoes. Get | least 15 minutes. | swallowed, get | respiration if not breathing. If breathing is | oxygen. |
| medical attention, if needed. | Then get immediate | medical | difficult, oxygen should be administered | |
| Thoroughly clean and dry | medical attention. | attention. | by qualified personnel. Get immediate | |
| contaminated clothing and shoes | | | medical attention. | |
| before reuse. | | | | |

Section 5: Fire Fighting Measures

| Suitable Extinguishing Media | Products of Combustion | Protection of Firefighters |
|--|---------------------------|--|
| Carbon dioxide, regular dry chemical Large fires: Use regular foam or flood with fine water spray. | Carbon dioxide | Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. |

Section 6: Accidental Release Measures

| Personal Precautions | Environmental Precautions | Methods for Containment | |
|--|--|--|--|
| Keep unnecessary people away, isolate hazard | Avoid heat, flames, sparks and other | Stop leak if possible without personal risk. | |
| area and deny entry. Ventilate closed spaces | sources of ignition. Keep out of water | Reduce vapors with water spray. Remove | |
| before entering. | supplies and sewers. | sources of ignition. | |

| Methods for Cleanup | Other Information |
|--|---|
| Stop leak, evacuate area. Wear protective equipment. | Subject to California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). |

Section 7: Handling and Storage

| Handling | Storage |
|--------------------------|--|
| Keep separated from | Store and handle in accordance with all current regulations and standards. Grounding and bonding required. |
| incompatible substances. | Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. |

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines

CARBON MONOXIDE: 50 ppm (55 mg/m3) OSHA TWA 35 ppm (40 mg/m3) OSHA TWA (vacated by 58 FR 35338, June 30, 1993) 200 ppm (229 mg/m3) OSHA ceiling (vacated by 58 FR 35338, June 30, 1993) 25 ppm ACGIH TWA 35 ppm (40 mg/m3) NIOSH recommended TWA 10 hour(s) 200 ppm (229 mg/m3) NIOSH recommended ceiling

Engineering Controls

No specific controls are needed.

| - to opening controls and medagan | | |
|-----------------------------------|------------------------|--|
| Eye Protection | Skin Protection | Respiratory Protection |
| Eye protection not required, | Protective clothing is | Any supplied-air respirator with full facepiece and operated in a pressure-demand or |
| but recommended. | not required. | other positive-pressure mode in combination with a separate escape supply. |

General Hygiene considerations

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

Gas and Supply page 2 of 5 Generated: 02/07/2012 10:16:16 Generated by the MSDS Manager from AsteRisk, LLC. All Rights Reserved

Section 9: Physical and Chemical Properties

| Physical State | Appearance | Color | Change in Appearance | Physical Form | Odor | Taste |
|----------------|------------|-----------|----------------------|---------------|----------|-----------|
| Gas | Colorless | Colorless | N/A | Gas | Odorless | Tasteless |

| Flash Point | Flammability | Partition Coefficient | Autoignition Temperature | Upper Explosive Limits | Lower Explosive Limits |
|----------------|---------------|--------------------------------------|-----------------------------|---------------------------|---------------------------|
| Flammable | Not available | 1479.11 (log = 3.17) (estimated from | 1128-1202 F (609-650 | 0.74 | 12.0-12.5% |
| | | water solubility) | C) | | |

| Boiling Point | Freezing Point | Vapor Pressure | Vapor Density | Specific Gravity | Water Solubility | рН | Odor Threshold | Evaporation Rate | Viscosity |
|-------------------------------|---------------------|---|------------------|---------------------|---------------------|-------------------|-------------------|-------------------|---------------------|
| -312.7 F (- 191.5 C) | -326 F (- 199 C) | 760 mmHg @ -191 C gas; cannot be liquefied at room temperature | 0.968 | Not applicable | 2.3% @ 20 C | Not applicable | Not available | Not applicable | 0.01657 cP @ 0 C |

| Molecular Weight | Molecular Formula | Density | Weight per Gallon | Volatility by Volume | Volatility | Solvent Solubility |
|---------------------|----------------------|--------------------|----------------------|-------------------------|----------------|---|
| 28.01 | C-O | 1.250 g/L @ 0 C | Not available | 100% | Not applicable | Soluble: Alcohol, benzene, acetic acid, ethyl acetate, chloroform, cuprous chloride solutions |

Section 10: Stability and Reactivity

| Stabilty | Conditions to Avoid | Incompatible Materials |
|-----------------------------------|-----------------------------------|--|
| Stable at normal temperatures and | Stable at normal temperatures and | Oxidizing materials, halogens, metal oxides, metals, combustible |
| pressure. | pressure. | materials, lithium |

| Hazardous Decomposition Products | Possibility of Hazardous Reactions |
|----------------------------------|------------------------------------|
| Oxides of carbon | Will not polymerize. |

Section 11: Toxicology Information

Acute Effects

| Oral LD50 | Dermal LD50 | Inhalation |
|---|------------------|--|
| LC50 Inhalation Gas. Rat 1807 ppm 4 hours | Not available | Changes in body temperature, changes in blood pressure, nausea, vomiting, chest pain, difficulty breathing, irregular heartbeat, headache, drowsiness, dizziness, disorientation, hallucinations, pain in extremities, tremors, loss of coordination, hearing loss, visual disturbances, eye damage, suffocation, blood disorders, convulsions, coma |

| Eye Irritation | Skin Irritation | Sensitization |
|---|---|---------------------------|
| No information on significant adverse effects | No information on significant adverse effects | Blood damage, suffocation |

Chronic Effects

| Carcinogenicity | Mutagenicity | Reproductive Effects | Developmental Effects |
|-----------------|--------------|----------------------|-----------------------|
| Not available | Available. | Available. | No data |

Section 12: Ecological Information

Fate and Transport

| Ecotoxicity | Persistence / Degradability | Bioaccumulation / Accumulation | Mobility in Environment | |
|--|-----------------------------------|--------------------------------|-------------------------|--|
| Fish toxicity: 75000 ug/L 1 day(s) LC100 | Relatively non-persistent in the | Not available | Not expected to leach | |
| (Mortality) Orangespotted sunfish (Lepomis | environment. Highly volatile from | | through the soil or the | |

Gas and Supply page 3 of 5
Generated by the MSDS Manager from AsteRisk, LLC. All Rights Reserved Generated: 02/07/2012 10:16:16

| humilis) | water. | sediment. |
|--------------------------------------|--------|-----------|
| Invertibrate toxicity: Not available | | |
| Algal toxicity: Not available | | |
| Phyto toxicity: Not available | | |
| Other toxicity: Not available | | |

Section 13: Disposal Considerations

Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001.

Section 14: Transportation Information

U.S. DOT 49 CFR 172.101

| Proper Shipping Name | ID Number | Hazard Class or Division | Packing Group | Labeling Requirements | Passenger Aircraft or Railcar Quantity Limitations | Cargo Aircraft Only Quantity Limitations | Additional Shipping Description |
|-----------------------------------|--------------|--------------------------------|------------------|--------------------------|--|--|---------------------------------------|
| Carbon monoxide, compressed | UN1016 | 2.3 | Not applicable | 2.3; 2.1 | Forbidden | 25 kg | Toxic-Inhalation Hazard Zone D |

Canadian Transportation of Dangerous Goods

| Shipping Name | UN Number | Class | Packing Group / Risk Group |
|-----------------------------|-----------|----------|----------------------------|
| Carbon monoxide, compressed | UN1016 | 2.3; 2.1 | Not applicable |

Section 15: Regulatory Information

U.S. Regulations

| CERCLA Sections | SARA 355.30 | SARA 355.40 |
|-----------------|----------------|----------------|
| Not regulated. | Not regulated. | Not regulated. |

SARA 370.21

| Acute | Chronic | Fire | Reactive | Sudden Release |
|-------|---------|------|----------|----------------|
| Yes | No | Yes | No | Yes |

SARA 372.65

Not regulated.

OSHA Process Safety

Not regulated.

State Regulations

CA Proposition 65

Known to the state of California to cause the following: Carbon monoxide Developmental toxicity (Jul 01, 1989)

Canadian Regulations

WHMIS Classification A, B1, D1A, D2A.

National Inventory Status

| | / = | |
|----------------------|------------------------------|-----------------------------|
| US Inventory (TSCA) | TSCA 12b Export Notification | Canada Inventory (DSL/NDSL) |
| Listed on inventory. | Not listed. | Listed on inventory. |

Section 16: Other Information

| NFPA Rating | |
|-------------|--|
|-------------|--|

HEALTH=3 FIRE=4 REACTIVITY=0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Gas and Supply Generated by the MSDS Manager from AsteRisk, LLC. All Rights Reserved page 5 of 5 Generated: 02/07/2012 10:16:16