

Material Safety Data Sheet Propane

In Case of Emergency: Chemtrec 800-424-9300

Section 1: Product and Company Identification

Gas and Supply 125 Thruway Park Broussard, LA 70518 877-441-7311 Fax: 337-839-8235 www.gasandsupply.com

Product Code: Propane

-	Trade Names
ydrocarbons,	N-PROPANE; DIMETHYLMETHANE; PROPYL HYDRIDE; R-290; PROPYLHYDRIDE; LIQUEFIED PETROLEUM GAS: LPG: >96% NATURAL GRADE: >99.9% PURE GRADE: UN 1978; C3H8
,	drocarbons, phatic

Section 2: Hazards Identification

Description	Main Health Hazard
Colorless, gasoline odor	Central nervous system depression, difficulty breathing
Flammable gas. May cause flash fire.	

Likely Routes of Exposure:

Inhalation	Ingestion	Eye	Skin	Health Effects	Target Organs	Medical Condition Aggravated by -
Nausea, vomiting, irregular heartbeat,	Liquid:	Liquid:	Liquid:	Central nervous	Central	None known
headache, symptoms of	frostbite	frostbite,	blisters,	system depression,	nervous	
drunkenness, diorientation, suffocation,		blurred	frostbite	difficulty breathing	system	
convulsions, coma	14.11	vision				

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Section 3: Composition/Information on Ingredients

CAS # 74-98-6

Section 4: First Aid Measures

Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.	Contact with liquid: Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.

Gas and Supply page 1 of 4

Generated: 02/07/2012 10:18:45

Generated by the MSDS Manager from AsteRisk, LLC. All Rights Reserved

Section 5: Fire Fighting Measures

Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Regular dry chemical, high expansion foam Large fires: Flood with fine water spray. Avoid carbon dioxide.	Carbon monoxide, carbon dioxide, water and toxic and irritating fumes	 Any self-contained breathing apparatus with a full facepiece. Any self-contained breathing apparatus with a full facepiece.

Section 6: Accidental Release Measures

Personal Precautions	Environmental Precautions	Methods for Containment
Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering. Do not touch spilled material.	Avoid heat, flames, sparks and other sources of ignition.	Stop leak if possible without personal risk. Reduce vapors with water spray. Remove sources of ignition.

Methods for Cleanup	Other Information
Contact emergency personnel	None

Section 7: Handling and Storage

Handling	Storage
Store and handle in accordance with all current regulations and standards. Grounding and bonding	Keep separated from
required. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.	incompatible substances.

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines

PROPANE: 1000 ppm (1800 mg/m3) OSHA TWA 1000 ppm (1800 mg/m3) NIOSH recommended TWA 10 hour(s) LIQUIFIED PETROLEUM GAS (LPG): 1000 ppm (1800 mg/m3) OSHA TWA 1000 ppm ACGIH TWA 1000 ppm (1800 mg/m3) NIOSH recommended TWA 10 hour(s) ALIPHATIC HYDROCARBON GASES ALKANE (C1-C4): 1000 ppm ACGIH TWA

Engineering Controls

No specific controls are needed.

Eye Protection	Skin Protection	Respiratory Protection
For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety goggles. Contact lenses should not	For the gas: Protective clothing is not required. For the liquid: Wear	Any self-contained breathing apparatus with
be worn. Provide an emergency eye wash fountain and quick drench	1 1 1 7	a full facepiece.
shower in the immediate work area.	clothing.	

General Hygiene considerations

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

Section 9: Physical and Chemical Properties

Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Gas	Clear	Colorless	N/A	Gas	Gasoline odor	N/A

Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits	Lower Explosive Limits
-157 F (-105 C)	Not available	Not available	842 F (450 C)	0.095	0.021

Gas and Supply page 2 of 4 Generated: 02/07/2012 10:18:45 Generated by the MSDS Manager from AsteRisk, LLC. All Rights Reserved

Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	рН	Odor Threshold	Evaporation Rate	Viscosity
-40 F (-	-310 F (-	6398	1.55	0.5853 @	Very	Not	5000-	Not	Not
40 C)	190 C)	mmHg @		-45 C	slightly	applicable	20000 ppm	applicable	available
		21.1 Č			soluble				

Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
44.11	C-H3-C-H2-C- H3	0.116	Not available	Not available	Not applicable	Soluble: Absolute alcohol, ether, chloroform, benzene, turpentine

Section 10: Stability and Reactivity

Stabilty	Conditions to Avoid	Incompatible Materials
Stable at normal temperatures and	Stable at normal temperatures and	Oxidizing materials, combustible materials, halogen
pressure.	pressure.	compounds,

Hazardous Decomposition Products	Possibility of Hazardous Reactions
Oxides of carbon	Will not polymerize.

Section 11: Toxicology Information

Acute Effects

Oral LD50	Dermal LD50	Inhalation
LC50 Inhalation Gas. Rat >800000	Not	Nausea, vomiting, irregular heartbeat, headache, symptoms of drunkenness, diorientation,
ppm 15 minutes	available	suffocation, convulsions, coma

Eye Irritation	Skin Irritation	Sensitization
Liquid: frostbite, blurred vision	Liquid: blisters, frostbite	Central nervous system depression, difficulty breathing

Chronic Effects

Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects
Not available	Not available	Not available	No data

Section 12: Ecological Information

Fate and Transport

r ato and manoport			
Ecotoxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Fish toxicity: Not available	Not available	Not available	Not available
Invertibrate toxicity: Not available			
Algal toxicity: Not available			
Phyto toxicity: Not available			
Other toxicity: Not available			

Section 13: Disposal Considerations

Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001.

Gas and Supply page 3 of 4 Generated: 02/07/2012 10:18:45

Section 14: Transportation Information

U.S. DOT 49 CFR 172.101

Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Propane	UN1978	2.1	Not applicable	2.1	Forbidden	150 kg	N/A

Canadian Transportation of Dangerous Goods

Shipping Name	UN Number	Class	Packing Group / Risk Group
Propane	UN1978	2.1	Not applicable

Section 15: Regulatory Information

U.S. Regulations

0.0111094141.0110				
CERCLA Sections	SARA 355.30	SARA 355.40		
Not regulated.	Not regulated.	Not regulated.		

SARA 370.21

Acute	Chronic	Fire	Reactive	Sudden Release
Yes	No	Yes	No	Yes

SARA 372.65

Not regulated.

OSHA Process Safety

Not regulated.

State Regulations

CA Proposition 65 Not regulated.

Canadian Regulations

WHMIS Classification A, B1.

National Inventory Status

US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)
Listed on inventory.	Not listed.	Listed on inventory.

Section 16: Other Information

١	١I	F	P	Α	\ F	₹.	at	in	ıg			
-											_	

HEALTH=1 FIRE=4 REACTIVITY=0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard